

Day : Tuesday
Date: 4/25/2006

Time: 11:27:25

PALM INTRANET

Inventor Information for 09/769688

Inventor Name	City	State/Country
MOCHIZUKI, TAKASHI	TOKYO	JAPAN

[Appn Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity Data](#) [Foreign Data](#)

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Tuesday
Date: 4/25/2006

Time: 11:27:33

PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = MOCHIZUKI

First Name = TAKASHI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>06403448</u>	Not Issued	166	07/30/1982	METHOD AND ARRANGEMENT FOR FUSING TOGETHER THE BOTTOM OF TUBULAR CONTAINER FORMED OF SYNTHETIC RESIN	MOCHIZUKI, TAKASHI
<u>06762820</u>	<u>4681645</u>	150	08/05/1985	METHOD AND APPARATUS FOR FUSING TOGETHER THE BOTTOM OF TUBULAR CONTAINER FORMED OF SYNTHETIC RESIN	MOCHIZUKI, TAKASHI
<u>06813302</u>	<u>4722002</u>	150	12/24/1985	METHOD AND APPARATUS FOR ENCODING/DECODING IMAGE SIGNAL	MOCHIZUKI, TAKASHI
<u>06933882</u>	<u>4767492</u>	150	11/24/1986	ULTRASONIC FUSE-BONDING SEALING APPARATUS WITH IMPROVED CONTACT SURFACES	MOCHIZUKI, TAKASHI
<u>07099091</u>	<u>4792851</u>	150	09/21/1987	METHOD AND APPARATUS FOR CODING MOTION IMAGE SIGNAL	MOCHIZUKI, TAKASHI
<u>07310435</u>	Not Issued	166	02/15/1989	SHOCK ABSORBER FOR USE IN TOYS	MOCHIZUKI, TAKASHI
<u>07317718</u>	Not Issued	166	03/02/1989	STEERING DEVICE FOR USE IN A TOY CAR	MOCHIZUKI, TAKASHI
<u>07365983</u>	<u>D317485</u>	150	06/13/1989	TOY RACING CAR	MOCHIZUKI, TAKASHI
<u>07375523</u>	<u>D320821</u>	150	07/05/1989	TOY RACING CAR	MOCHIZUKI, TAKASHI
<u>07586378</u>	<u>5056764</u>	150	09/21/1990	SHOCK ABSORBER FOR USE IN TOYS	MOCHIZUKI, TAKASHI
<u>07608024</u>	<u>5085618</u>	150	11/02/1990	STEERING DEVICE FOR USE IN A TOY CAR	MOCHIZUKI, TAKASHI
<u>07627850</u>	<u>5152294</u>	150	12/14/1990	THREE-DIMENSIONAL ULTRASONIC SCANNER	MOCHIZUKI, TAKASHI

<u>07706536</u>	Not Issued	166	05/28/1991	CODING AND DECODING METHODS FOR A PICTURE SIGNAL USING OVERLAPPING BLOCKS HAVING VARIABLE BLOCK SIZES AND APPARATUSES THEREFOR	MOCHIZUKI, TAKASHI
<u>08066512</u>	Not Issued	166	05/24/1993	ULTRASONIC TRANSDUCER ASSEMBLY	MOCHIZUKI, TAKASHI
<u>08197462</u>	Not Issued	161	02/16/1994	CODING AND DECODING METHODS FOR A PICTURE SIGNAL USING OVERLAPPING BLOCKS HAVING VARIABLE BLOCK SIZES AND APPARATUSES THEREFOR	MOCHIZUKI, TAKASHI
<u>08284924</u>	<u>5460179</u>	150	08/02/1994	ULTRASONIC TRANSDUCER ASSEMBLY AND METHOD OF SCANNING	MOCHIZUKI, TAKASHI
<u>08593527</u>	<u>5805293</u>	150	01/30/1996	HADAMARD TRANSFORM CODING/DECODING METHOD AND APPARATUS FOR IMAGE SIGNALS	MOCHIZUKI, TAKASHI
<u>08670893</u>	Not Issued	161	06/26/1996	MULTICONTROL KEYBOARD	MOCHIZUKI, TAKASHI
<u>08682909</u>	<u>5706816</u>	150	07/16/1996	IMAGE PROCESSING APPARATUS AND IMAGE PROCESSING METHOD FOR USE IN THE IMAGE PROCESSING APPARATUS	MOCHIZUKI, TAKASHI
<u>08768589</u>	<u>5970172</u>	150	12/18/1996	HADAMARD TRANSFORM CODING / DECODING DEVICE FOR IMAGE SIGNALS	MOCHIZUKI, TAKASHI
<u>08861244</u>	<u>5911691</u>	150	05/21/1997	ULTRASOUND IMAGE PROCESSING APPARATUS AND METHOD OF FORMING AND DISPLAYING ULTRASOUND IMAGES BY THE APPARATUS	MOCHIZUKI, TAKASHI
<u>08876060</u>	<u>5766129</u>	150	06/13/1997	ULTRASOUND DIAGNOSTIC APPARATUS AND METHOD OF FORMING AN ULTRASOUND IMAGE BY THE APPARATUS	MOCHIZUKI, TAKASHI
<u>08970150</u>	<u>6327384</u>	150	11/13/1997	CHARACTER RECOGNITION APPARATUS AND METHOD FOR RECOGNIZING CHARACTERS	MOCHIZUKI, TAKASHI
<u>08989074</u>	<u>6009211</u>	150	12/11/1997	HADAMARD TRANSFORM COEFFICIENT PREDICTOR	MOCHIZUKI, TAKASHI
<u>09092060</u>	<u>6089184</u>	150	06/05/1998	A CVD APPARATUS AND CVD METHOD	MOCHIZUKI, TAKASHI

<u>09112452</u>	<u>6045862</u>	150	07/09/1998	CVD FILM FORMING METHOD IN WHICH A FILM FORMATION PREVENTING GAS IS SUPPLIED IN A DIRECTION FROM A REAR SURFACE OF AN OBJECT TO BE PROCESSED	MOCHIZUKI, TAKASHI
<u>09193785</u>	Not Issued	161	11/17/1998	TRANSMISSION POWER CONTROL METHOD AND COMMUNICATION DEVICE	MOCHIZUKI, TAKASHI
<u>09272875</u>	Not Issued	160	03/19/1999	THREE-DIMENSIONAL ULTRASOUND IMAGE PROCESSING APPARATUS AND COORDINATE TRANSFORMATION METHOD USED IN THE APPARATUS	MOCHIZUKI, TAKASHI
<u>09273674</u>	<u>6263093</u>	150	03/22/1999	THREE-DIMENSIONAL ULTRASOUND IMAGE PROCESSING APPARATUS AND COORDINATE TRANSFORMATION METHOD USED IN THE APPARATUS	MOCHIZUKI, TAKASHI
<u>09296953</u>	<u>6628633</u>	150	04/22/1999	CDMA COMMUNICATION METHOD ADAPTED TO FORWARD PACKET TRANSMISSION	MOCHIZUKI, TAKASHI
<u>09425893</u>	<u>6580764</u>	150	10/25/1999	CHANNEL CHARACTERISTICS ESTIMATION APPARATUS	MOCHIZUKI, TAKASHI
<u>09430441</u>	Not Issued	161	10/29/1999	MULTICAST COMMUNICATION SYSTEM AND CELLULAR MOBILE COMMUNICATION SYSTEM COMPRISING MULTICAST CHANNEL	MOCHIZUKI, TAKASHI
<u>09457520</u>	<u>6628611</u>	150	12/09/1999	TRAFFIC CONTROL SYSTEM AND METHOD FOR CONSTANT-RATE AND VARIABLE-RATE MODES OF TRANSMISSION	MOCHIZUKI, TAKASHI
<u>09499675</u>	<u>6210486</u>	150	02/08/2000	CVD FILM FORMING METHOD IN WHICH A FILM FORMATION PREVENTING GAS IS SUPPLIED IN A DIRECTION FROM A REAR SURFACE OF AN OBJECT TO BE PROCESSED	MOCHIZUKI, TAKASHI
<u>09551393</u>	<u>6436203</u>	150	04/18/2000	A CVD APPARATUS AND CVD METHOD	MOCHIZUKI, TAKASHI
<u>09665521</u>	Not Issued	161	09/19/2000	Switching between band-pass filters of different frequency characteristics based on information as to usage of	MOCHIZUKI, TAKASHI

adjacent channels					
<u>09769688</u>	Not Issued	71	01/25/2001	Transmission apparatus	MOCHIZUKI, TAKASHI
<u>09972669</u>	Not Issued	161	10/05/2001	Spanning tree control unit in the case of trouble or increase and method thereof	MOCHIZUKI, TAKASHI
<u>10020130</u>	Not Issued	80	12/18/2001	Transmission power control method, receiving method, mobile communications system and mobile terminal	MOCHIZUKI, TAKASHI
<u>10049283</u>	<u>6797068</u>	150	02/11/2002	FILM FORMING UNIT	MOCHIZUKI, TAKASHI
<u>10083788</u>	<u>6678144</u>	150	02/27/2002	CAPACITOR, CIRCUIT BOARD WITH BUILT-IN CAPACITOR AND METHOD FOR PRODUCING THE SAME	MOCHIZUKI, TAKASHI
<u>10181140</u>	<u>6875177</u>	150	07/09/2002	ULTRASONIC DIAGNOSTIC APPARATUS	MOCHIZUKI, TAKASHI
<u>10271722</u>	<u>6993294</u>	150	10/17/2002	MOBILE COMMUNICATION SYSTEM, COMMUNICATION CONTROL METHOD, BASE STATION AND MOBILE STATION TO BE USED IN THE SAME	MOCHIZUKI, TAKASHI
<u>10364557</u>	Not Issued	30	02/12/2003	Method of reducing inter-subcarrier interference in multicarrier communication systems and receiver using it	MOCHIZUKI, TAKASHI
<u>10397788</u>	<u>6796943</u>	150	03/26/2003	ULTRASONIC MEDICAL SYSTEM	MOCHIZUKI, TAKASHI
<u>10645478</u>	<u>6890792</u>	150	08/22/2003	METHOD OF FORMATION OF A CAPACITOR WITH A SOLID ELECTROLYTE LAYER COMPRISING AN ORGANIC SEMICONDUCTOR, AND METHOD OF PRODUCTION OF CIRCUIT BOARD	MOCHIZUKI, TAKASHI
<u>10720154</u>	Not Issued	93	11/25/2003	HEAT TRANSPORT DEVICE AND ELECTRONIC APPARATUS	MOCHIZUKI, TAKASHI
<u>11031764</u>	Not Issued	61	01/07/2005	Capacitor, circuit board with built-in capacitor and method of manufacturing the same	MOCHIZUKI, TAKASHI
<u>11031812</u>	<u>6980416</u>	150	01/07/2005	CAPACITOR, CIRCUIT BOARD WITH BUILT-IN CAPACITOR AND METHOD OF MANUFACTURING THE SAME	MOCHIZUKI, TAKASHI
<u>11068884</u>	Not	30	03/02/2005	Capacitor, circuit board, method of	MOCHIZUKI,

	Issued		formation of capacitor, and method of production of circuit board	TAKASHI
--	--------	--	---	---------

[Search and Display More Records.](#)

Search Another: Inventor	Last Name	First Name
	MOCHIZUKI	TAKASHI
	<input type="button" value="Search"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Hits	Search Text	DBs
1	0	((375/262 or 375/296 or 455/213 or 455/339 or 327/552 or 342/101).ccIs.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	22	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2)) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	117	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	22	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	26	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5)) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")) not (((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	24	<p>((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125") not (((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5 or choos\$5 or choic\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125"))</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	5	<p>("5451899" "5612976" "5617451" "5894499" "6038268").PN.</p>	USPAT
10	7	<p>("5194836" "5231327" "5872493" "5905418" "5910756" "5942958" "6081171").PN.</p>	USPAT
11	2209	<p>((filter\$5 or slicer\$4) with (choos\$5 or choic\$5 or select\$5) with (series)) and (@ad<"20000125")</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	39	<p>((375/262 or 375/296 or 455/213 or 455/339 or 327/552 or 342/101).ccls.) and (((filter\$5 or slicer\$4) with (choos\$5 or choic\$5 or select\$5) with (series)) and (@ad<"20000125"))</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1	<p>"6356746".pn. and (configur\$5 near2 control\$5)</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	1	"6356746".pn. and (configur\$5 near6 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	((two or multipl\$7 or three) near2 attenuation\$7) with (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7) and (adjust\$7 near2 (filter\$7 or slic\$7)) and (transmi\$7 near2 band\$7) and modula\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	9	((two or multipl\$7 or three) near7 attenuation\$7) with (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7) and (adjust\$7 near2 (filter\$7 or slic\$7)) and (transmi\$7 near2 band\$7) and modula\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	29	((two or multipl\$7 or three) near7 attenuation\$7) with (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7) and (adjust\$7 near2 (filter\$7 or slic\$7)) and (transmi\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	2109	((attenuation\$7) near2 (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7 or adjust\$7 or chang\$7)) with ("next" or "adjacent") near2 nois\$7 or data or band\$7 or transmi\$7 or signal\$7) and (transmi\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	2	((attenuation\$7) near2 (select\$7 or choos\$7 or choic\$7 or pick\$7 or assign\$7 or adjust\$7 or chang\$7) near2 ("next" or "adjacent") near2 (nois\$7 or data or band\$7 or transmi\$7 or signal\$7) and (transmi\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	0	((375/262, 375/261, 375/260, 375/259, 375/296, 375/295, 455/213, 455/212, 455/205, 455/130, 455/339, 455/338, 455/334, 327/552, 327/551, 327/524, 342/101, 342/99, 342/98, 342/89, 342/73).ccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	2	"6212367".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	2434	((select\$7 or choos\$7 or choic\$7 or pick\$7) near2 attenuation\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	63	((select\$7 or choos\$7 or choic\$7 or pick\$7) near2 attenuation\$7 near2 first\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24	0	((375/262, 375/261, 375/260, 375/259, 375/296, 375/295, 455/213, 455/212, 455/205, 455/130, 455/339, 455/338, 455/334, 327/552, 327/551, 327/524, 342/101, 342/99, 342/98, 342/89, 342/73).ccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	67	threshold\$7 near2 (attenuat\$7 or coefficien\$7 or tap\$3) near2 (adjust\$7 or adapt\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	43	threshold\$7 near2 (attenuat\$7 or coefficien\$7 or tap\$3) near2 (adjust\$7 or adapt\$7) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	2	threshold\$7 near2 (attenuat\$7 or coefficien\$7 or tap\$3) near2 (adjust\$7 or adapt\$7) near2 (select\$7 or choic\$7 or pick\$7 or choos\$7) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	92	(threshold\$7 with (attenuat\$7 or coefficien\$7 or tap\$3) with (adjust\$7 or adapt\$7) with (select\$7 or choic\$7 or pick\$7 or choos\$7)) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	7	(threshold\$7 with (attenuat\$7 or coefficien\$7 or tap\$3) with (adjust\$7 or adapt\$7) with (select\$7 or choic\$7 or pick\$7 or choos\$7)) and (transmi\$7 near2 band\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	70	(set\$3 or adjust\$7 or adapt\$7) near2 (coefficien\$7 or tap\$3 or weight\$7 or filter\$7) near2 (adjacent\$7 or next\$7 or "near") near2 (signal\$7 or frequenc\$7 or band\$7 or rang\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	0	adjust\$7 near2 filter\$7 near2 based\$7 near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	adjust\$7 near2 filter\$7 near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	0	adjust\$7 near2 (filter\$7 or tap\$3 or coefficien\$7 or weight\$7) near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	11	(adjust\$7 or chang\$7 or modif\$7 or updat\$7 or choos\$7 or choic\$7 or pick\$7 or select\$7) near2 (filter\$7 or tap\$3 or coefficien\$7 or weight\$7) near2 adjacent\$7 near2 signal\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
35	1	((filter\$7 or slicer\$7) near2 (coefficien\$7 or tap\$7 or weight\$7) near2 ((more or great\$7) and (less\$7)) near2 threshold\$7) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2	((filter\$7 or slicer\$7) near2 (coefficien\$7 or tap\$7 or weight\$7) near2 ((more or great\$7) and (less\$7)) near2 (threshold\$7 or value\$3)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	166	((filter\$7 or slicer\$7) with (coefficien\$7 or tap\$7 or weight\$7) with ((more or great\$7) and (less\$7)) with (threshold\$7 or value\$3)) and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	2	"5752171".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	28	(US-4211894-\$ or US-4258435-\$ or US-4349707-\$ or US-5287557-\$ or US-5367385-\$ or US-5418817-\$ or US-5455819-\$ or US-5461426-\$ or US-5515401-\$ or US-5524029-\$ or US-5526383-\$ or US-5557319-\$ or US-5600278-\$ or US-5630218-\$ or US-5793801-\$ or US-5894499-\$ USPAT or US-6020962-\$ or US-6178162-\$ or US-6262637-\$ or US-6275103-\$ or US-6282231-\$ or US-6301409-\$ or US-6307879-\$ or US-6356746-\$ or US-6426983-\$ or US-6470173- \$).did. or (US-6510224-\$ or US- 5752171-\$).did.	
40	18	S39 and modula\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	5672	(modula\$7 near2 (filter\$7 or slic\$7)) and transmi\$7 and (@ad<"20000125")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
42	0	<p>((375/262, 375/261, 375/260, 375/259, 375/296, 375/295, 455/213, 455/212, 455/205, 455/130, 455/339, 455/338, 455/334, 327/552, 327/551, 327/524, 342/101, 342/99, 342/98, 342/89, 342/73).ccls.) and ((filter\$5 or slicer\$5) with (set\$5 or adjust\$5 or config\$5) with ((start or stop) adj band\$2) or bandpass) with (bas\$5 or according\$2) with ((adjacent or next or "near") near2 (band\$2 or frequenc\$5)) and (@ad<"20000125")</p>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB